



**PRODUCT LIST**

**STRING WOUND CARTRIDGES**

Our wound cartridges are suitable for a diverse range of applications including photography, plating, chemical processing, oil fields, power plants, ultra pure water, petrochemicals, electronic boards, food processing, and beverages.



**Polypropylene yarn on polypropylene core**

Model #	Micron	Lengths	Model #	Micron	Length
G.5P10	0.5	10" , 9.75"	G.50P20	0.5	20"
G001P10	1	10" , 9.75"	G001P20	1	20"
G003P10	3	10" , 9.75"	G003P20	3	20"
G005P10	5	10" , 9.75"	G005P20	5	20"
G007P10	7	10" , 9.75"	G007P20	7	20"
G010P10	10	10" , 9.75"	G010P20	10	20"
G020P10	20	10" , 9.75"	G020P20	20	20"
G030P10	30	10" , 9.75"	G030P20	30	20"
G050P10	50	10" , 9.75"	G050P20	50	20"
G075P10	75	10" , 9.75"	G075P20	75	20"
G100P10	100	10" , 9.75"	G100P20	100	20"
G150P10	150	10" , 9.75"	G150P20	150	20"
G200P10	200	10" , 9.75"	G200P20	200	20"
<b>Packaging: 30 per case</b>		<b>Aprox. Wgt. 10-12</b>	<b>Packaging: 15 per case</b>		

**Polypropylene yarn on polypropylene core**

Model #	Micron	Length	Model #	Micron	Length
G.50P30	0.5	30"	G.50P40	0.5	40"
G001P30	1	30"	G001P40	1	40"
G003P30	3	30"	G003P40	3	40"
G005P30	5	30"	G005P40	5	40"
G007P30	7	30"	G007P41	7	40"
G010P30	10	30"	G010P40	10	40"
G020P30	20	30"	G020P40	20	40"
G030P30	30	30"	G030P40	30	40"
G050P30	50	30"	G050P40	50	40"
G075P30	75	30"	G075P40	75	40"
G100P30	100	30"	G100P40	100	40"
<b>Packaging: 15 per case</b>			<b>Packaging: 15 per case</b>		

Also available in other combinations of materials and micron ratings



**PRODUCT LIST**

Fibrillated polypropylene fibers are organic free and non migrating. Uses include plating solutions, electronics applications, photographs, PC board manufacturing, D.I. water, coatings, chemicals, etc.



**Fibrillated polypropylene yarn on polypropylene core**

Model #	Micron	Length	Model #	Micron	Length
M001P10	1	10" , 9.75"	M001P20	1	20"
M005P10	5	10" , 9.75"	M005P20	5	20"
M010P10	10	10" , 9.75"	M010P20	10	20"
M020P10	20	10" , 9.75"	M020P20	20	20"
M030P10	30	10" , 9.75"	M030P20	30	20"
M050P10	50	10" , 9.75"	M050P20	50	20"
M075P10	75	10" , 9.75"	M075P20	75	20"
M100P10	100	10" , 9.75"	M100P20	100	20"
<b>Packaging: 30 per case</b>			<b>Packaging: 15 per case</b>		

**Fibrillated polypropylene yarn on polypropylene core**

Model #	Micron	Length	Model #	Micron	Length
M001P30	1	30"	M001P40	1	40"
M005P30	5	30"	M005P40	5	40"
M010P30	10	30"	M010P40	10	40"
M020P30	20	30"	M020P40	20	40"
M030P30	30	30"	M030P40	30	40"
M050P30	50	30"	M050P40	50	40"
M075P30	75	30"	M075P40	75	40"
M100P30	100	30"	M100P40	100	40"
<b>Packaging: 15 per case</b>			<b>Packaging: 15 per case</b>		

Also available in other combinations of materials and micron ratings



**PRODUCT LIST**

**Cotton yarn on stainless steel core**

Model #	Micron	Length	Model #	Micron	Length
C001S10	1	10" , 9.75"	C001S20	1	20"
C005S10	5	10" , 9.75"	C005S20	5	20"
C010S10	10	10" , 9.75"	C007S20	10	20"
C015S10	15	10" , 9.75"	C010S20	15	20"
C020S10	20	10" , 9.75"	C020S20	20	20"
C030S10	30	10" , 9.75"	C030S20	30	20"
C050S10	50	10" , 9.75"	C050S20	50	20"
C075S10	75	10" , 9.75"	C075S20	75	20"
C100S10	100	10" , 9.75"	C100S20	100	20"
C150S10	150	10" , 9.75"	C150S20	150	20"
<b>Packaging: 30 per case</b>			<b>Packaging: 15 Per Case</b>		

**Cotton yarn on stainless steel core**

Model #	Micron	Length	Model #	Micron	Length
C001S30	1	30"	C001S40	1	40"
C005S30	5	30"	C005S40	5	40"
C007S30	7	30"	C007S40	7	40"
C010S30	10	30"	C010S40	10	40"
C020S30	20	30"	C020S40	20	40"
C030S30	30	30"	C030S40	30	40"
C050S30	50	30"	C050S40	50	40"
C075S30	75	30"	C075S40	75	40"
C100S30	100	30"	C100S40	100	40"
<b>Packaging: 15 Per Case</b>			<b>Packaging: 15 Per Case</b>		

Also available in other combinations of materials and micron ratings

Call 1 800-270-6904 Tel (514) 270-4700 Fax (514) 277-0798 E-mail: [filtertech@filtertech.ca](mailto:filtertech@filtertech.ca)

**PRODUCT LIST****Cotton yarn on polypropylene core**

Model #	Micron	Length	Model #	Micron	Length
C001P10	1	10" , 9.75"	C001P20	1	20"
C005P10	5	10" , 9.75"	C005P20	5	20"
C007P10	7	10" , 9.75"	C007P20	7	20"
C010P10	10	10" , 9.75"	C010P20	10	20"
C015P10	15	10" , 9.75"	C015P20	15	20"
C020P10	20	10" , 9.75"	C020P20	20	20"
C030P10	30	10" , 9.75"	C030P20	30	20"
C050P10	50	10" , 9.75"	C050P20	50	20"
C075P10	75	10" , 9.75"	C075P20	75	20"
C100P10	100	10" , 9.75"	C100P20	100	20"
C200P10	200	10" , 9.75"	C200P20	200	20"
<b>Packaging: 30 Per Case</b>			<b>Packaging: 15 Per Case</b>		

**Cotton yarn on polypropylene core**

Model #	Micron	Length	Model #	Micron	Length
C001P30	1	30"	C001P40	1	40"
C005P30	5	30"	C005P40	5	40"
C007P30	7	30"	C007P40	7	40"
C010P30	10	30"	C010P40	10	40"
C015P30	15	30"	C015P40	15	40"
C020P30	20	30"	C020P40	20	40"
C030P30	30	30"	C030P40	30	40"
C050P30	50	30"	C050P40	50	40"
C075P30	75	30"	C075P40	75	40"
C100P30	100	30"	C100P40	100	40"
<b>Packaging: 15 Per Case</b>			<b>Packaging: 15 Per Case</b>		

**Cotton yarn on tinned steel core**

Model #	Micron	Length	Model #	Micron	Length
C001T10	1	10" , 9.75"	C001T20	1	20"
C005T10	5	10" , 9.75"	C005T20	5	20"
C007T10	7	10" , 9.75"	C007T20	7	20"
C010T10	10	10" , 9.75"	C010T20	10	20"
C015T10	15	10" , 9.75"	C015T20	15	20"
C020T10	20	10" , 9.75"	C020T20	20	20"
C030T10	30	10" , 9.75"	C030T20	30	20"
C050T10	50	10" , 9.75"	C050T20	50	20"
C075T10	75	10" , 9.75"	C075T20	75	20"
C100T10	100	10" , 9.75"	C100T20	100	20"
C150T10	150	10" , 9.75"	C150T20	150	20"
<b>Packaging: 30 Per Case</b>			<b>Packaging: 15 Per Case</b>		

Also available in other combinations of materials and micron ratings

**PRODUCT LIST****Cotton yarn on tinned steel core**

Model #	Micron	Length	Model #	Micron	Length
C001T30	1	30"	C001T40	1	40"
C005T30	5	30"	C005T40	5	40"
C007T30	7	30"	C007T40	7	40"
C010T30	10	30"	C010T40	10	40"
C020T30	20	30"	C020T40	20	40"
C030T30	30	30"	C030T40	30	40"
C050T30	50	30"	C050T40	50	40"
C075T30	75	30"	C075T40	75	40"
C100T30	100	30"	C100T40	100	40"
C150T30	150	30"	C150T40	150	40"
<b>Packaging: 15 Per Case</b>			<b>Packaging: 15 Per Case</b>		

**Bleached cotton yarn on polypropylene core**

Model #	Micron	Length	Model #	Micron	Length
B.50P10	0.5	10" , 9.75"	B.50P20	0.5	20"
B001P10	1	10" , 9.75"	B001P20	1	20"
B005P10	5	10" , 9.75"	B005P20	5	20"
B007P10	7	10" , 9.75"	B007P20	7	20"
B010P10	10	10" , 9.75"	B010P20	10	20"
B015P10	15	10" , 9.75"	B015P20	15	20"
B020P10	20	10" , 9.75"	B020P20	20	20"
B030P10	30	10" , 9.75"	B030P20	30	20"
B050P10	50	10" , 9.75"	B050P20	50	20"
B075P10	75	10" , 9.75"	B075P20	75	20"
B100P10	100	10" , 9.75"	B100P20	100	20"
B200P10	200	10" , 9.75"	B200P20	200	20"
<b>Packaging: 30 Per Case</b>			<b>Packaging: 15 Per Case</b>		

**Bleached cotton yarn on polypropylene core**

Model #	Micron	Length	Model #	Micron	Length
B.50P30	0.5	30"	B.50P40	0.5	40"
B001P30	1	30"	B001P40	1	40"
B005P30	5	30"	B005P40	5	40"
B010P30	10	30"	B010P40	10	40"
B015P30	15	30"	B015P40	15	40"
B020P30	20	30"	B020P40	20	40"
B030P30	30	30"	B030P40	30	40"
B050P30	50	30"	B050P40	50	40"
B075P30	75	30"	B075P40	75	40"
B100P30	100	30"	B100P40	100	40"
<b>Packaging: 15 Per Case</b>			<b>Packaging: 15 Per Case</b>		

Also available in other combinations of materials and micron ratings

Call 1 800-270-6904 Tel (514) 270-4700 Fax (514) 277-0798 E-mail: [filtertech@filtertech.ca](mailto:filtertech@filtertech.ca)



**PRODUCT LIST**

**Bleached cotton yarn on tinned steel core**

Model #	Micron	Length	Model #	Micron	Length
B001T10	1	10" , 9.75"	B001T20	1	20"
B005T10	5	10" , 9.75"	B005T20	5	20"
B010T10	10	10" , 9.75"	B010T20	10	20"
B015T10	15	10" , 9.75"	B015T20	15	20"
B020T10	20	10" , 9.75"	B020T20	20	20"
B030T10	30	10" , 9.75"	B030T20	30	20"
B050T10	50	10" , 9.75"	B050T20	50	20"
B075T10	75	10" , 9.75"	B075T20	75	20"
B100T10	100	10" , 9.75"	B100T20	100	20"
<b>Packaging: 30 Per Case</b>			<b>Packaging: 15 Per Case</b>		

**Bleached cotton yarn on tinned steel core**

Model #	Micron	Length	Model #	Micron	Length
B001T30	1	30"	B001T40	1	40"
B005T30	5	30"	B005T40	5	40"
B010T30	10	30"	B010T40	10	40"
B015T30	15	30"	B015T20	15	40"
B020T30	20	30"	B020T40	20	40"
B030T30	30	30"	B030T40	30	40"
B050T30	50	30"	B050T40	50	40"
B075T30	75	30"	B075T40	75	40"
B100T30	100	30"	B100T40	100	40"
<b>Packaging: 15 Per Case</b>			<b>Packaging: 15 Per Case</b>		

**Bleached cotton yarn on stainless steel core**

Model #	Micron	Length	Model #	Micron	Length
B001S10	1	10" , 9.75"	B001S20	1	20"
B005S10	5	10" , 9.75"	B005S20	5	20"
B010S10	10	10" , 9.75"	B010S20	10	20"
B020S10	20	10" , 9.75"	B020S20	20	20"
B030S10	30	10" , 9.75"	B030S20	30	20"
B050S10	50	10" , 9.75"	B050S20	50	20"
B075S10	75	10" , 9.75"	B075S20	75	20"
B100S10	100	10" , 9.75"	B100S20	100	20"
B150S10	150	10" , 9.75"	B150S20	150	20"
<b>Packaging: 30 Per Case</b>			<b>Packaging: 15 Per Case</b>		

**Bleached cotton yarn on stainless steel core**

Model #	Micron	Length	Model #	Micron	Length
B001S30	1	30"	B001S40	1	40"
B005S30	5	30"	B005S40	5	40"
B010S30	10	30"	B010S40	10	40"
B020S30	20	30"	B020S40	20	40"
B030S30	30	30"	B030S40	30	40"
B050S30	50	30"	B050S40	50	40"
B075S30	75	30"	B075S40	75	40"
B100S30	100	30"	B100S40	100	40"
B150S30	150	30"	B150S40	150	40"
<b>Packaging: 30 Per Case</b>			<b>Packaging: 15 Per Case</b>		

Also available in other combinations of materials and micron ratings

Call 1 800-270-6904 Tel (514) 270-4700 Fax (514) 277-0798 E-mail: [filtertech@filtertech.ca](mailto:filtertech@filtertech.ca)


## PRODUCT LIST

### EXTENDED CORE

Crimped extended core filters are produced on tin or stainless steel cores. Available in different lengths and in all micron ratings to a maximum of 41". Polypropylene core extender is used for polypropylene core.



### END CAPS



## STRING WOUND CARTRIDGES IDENTIFICATION GUIDE

### EXAMPLE

B	005	R	20	D2.25	L	EX
YARN TYPE	MICRON	CORE MATERIAL	OVERALL	DIAMETER	CORE COVER	EXTENDED CORE
<b>A</b> - Special Specify	0.5	<b>P</b> - Polypropylene	From	Blank -	Blank	Blank - None
<b>B</b> - Bleached Cotton	001	<b>R</b> - 316 Stainless	3"	2.5	None	<b>EX</b> - Specify
<b>C</b> - Cotton	003	Steel	To	<b>D</b> - Outside	<b>L</b> -Any Type	
<b>E</b> - Fiberglass (unbaked)	005	<b>S</b> - 304 Stainless	40"	Diameter		
<b>F</b> - Fiberglass (baked)	007	Steel		<b>BB</b> - Big Blue		
<b>G</b> - Polypropylene	010	<b>T</b> - Tinned Steel				
<b>H</b> - Viscose	015	<b>W</b> - Special Specify				
<b>J</b> - Nylon	020					
<b>L</b> - Polyester	050					
<b>M</b> - Fibrillated Polypropylene	075					
	100					
	150					
	200					

Also available in other combinations of materials and micron ratings

Call 1 800-270-6904 Tel (514) 270-4700 Fax (514) 277-0798 E-mail: [filtertech@filtertech.ca](mailto:filtertech@filtertech.ca)



**PRODUCT LIST**

**STRING WOUND CARTRIDGES FOR BIG BLUE HOUSING**

**Large Diameter Full Flow**



**Polypropylene yarn on polypropylene core**

Model #	Micron	Length	Model #	Micron	Length
G.50P10BB	0.5	10" , 9.75"	G.50P20BB	0.5	20"
G001P10BB	1	10" , 9.75"	G001P20BB	1	20"
G005P10BB	5	10" , 9.75"	G005P20BB	5	20"
G010P10BB	10	10" , 9.75"	G010P20BB	10	20"
G015P10BB	15	10" , 9.75"	G015P20BB	15	20"
G020P10BB	20	10" , 9.75"	G020P20BB	20	20"
G030P10BB	30	10" , 9.75"	G030P20BB	30	20"
G050P10BB	50	10" , 9.75"	G050P20BB	50	20"
G075P10BB	75	10" , 9.75"	G075P20BB	75	20"
G100P10BB	100	10" , 9.75"	G100P20BB	100	20"
<b>Packaging: 8 per case</b>			<b>Packaging: 4 per case</b>		

**Fibrillated polypropylene yarn on polypropylene core**

Model #	Micron	Length	Model #	Micron	Length
M001P10BB	1	10" , 9.75"	M001P20BB	1	20"
M005P10BB	5	10" , 9.75"	M005P20BB	5	20"
M010P10BB	10	10" , 9.75"	M010P20BB	10	20"
M020P10BB	20	10" , 9.75"	M020P20BB	20	20"
M030P10BB	30	10" , 9.75"	M030P20BB	30	20"
M050P10BB	50	10" , 9.75"	M050P20BB	50	20"
M075P10BB	75	10" , 9.75"	M075P20BB	75	20"
M100P10BB	100	10" , 9.75"	M100P20BB	100	20"
<b>Packaging: 8 Per Case</b>			<b>Packaging: 4 Per Case</b>		

Also available in other combinations of materials and micron ratings

Call 1 800-270-6904 Tel (514) 270-4700 Fax (514) 277-0798 E-mail: [filtertech@filtertech.ca](mailto:filtertech@filtertech.ca)